

# गौरादह नगरपालिका नगर कार्यपलिकाको कार्यालय

गौरादह,झापा कोशी प्रदेश चेपाल

प.सं.:-२०८१/८२ च.नं

### दररेट पेश गर्ने सम्वन्धी सूचना

( प्रकाशित मिति:- २०८२/०१/३० )

प्रस्तुत विषयमा गौरादह नगरपालिकाको लागि संलग्न प्राविधिक स्पेशिफिकेसन अनुसारको उपकरण तथा सामाग्रीहरु खरिद गर्नु पर्ने भएकोले सो सामाग्रीहरुको यो सूचना प्रकाशित भएको मितिले ७ दिन भित्र दर रेट यस गौरादह नगरपालिकाको कार्यालयको ईमेल gauradahamun@gmail.com वा कार्यालय समयमा पेश गर्नु हुन अनुरोध छ । तपसीलः

<b>क</b> .			दर	रेट	3 -
सं.	सामाग्रीहरूको नाम	ईकाई	मुल्य अभिवृद्धि कर	मुल्य अभिवृद्धि कर सहित	कैफियत
9	Crutch	गोटा			
7	White Stick/White Cane	गोटा			11-11-
3	CP Chair	गोटा			
8	Tri-Cycle	गोटा			
×	Hearing Aids	गोटा			TOTAL .
ξ	Optical Frames	गोटा			
9	Arm Crutch	गोटा			
ς	Wheelchair ( Semi Active/Fordable Type)	गोटा			
9	Wheelchair (Orthopedics/Non-Foldable Fixed Type)	गोटा			
90	Wheelchair (Orthopedics/ Foldable Orthopaedic Type)	गोटा			
99	Rough Rider Wheelchair (Foldable Type)	गोटा			

नोटः माथि उल्लेखित उपकरण तथा सामाग्रीहरूको प्राविधिक स्पेशिफिकेसन गौरादह नगरपालिकाको वेवसाईट

https://gauradahamun.gov.np बाट हेर्न सिकनेछ।

(कृष्ण प्रसाद सुवेदी) प्रमुख प्रशासकीय अधिकृत

कृष्ण प्रसाद सुवेदी प्रमुख प्रशासकीय अधिकृत

#### **Technical Specification**

**Project: Crutch** 

Location: Gauradaha, Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance sheet
1	Manufacturer		
2	Brand		
3	Type / Model		
4	Country of Origin		
5	System Configuration	Axilla or Underarm Crutches	
6	Materials	Must be made of the highest quality materials such as Aluminium alloy tubes or equivalent. High resistance to corrosion.	
7	Height	Adjustable for both overall height & handgrip height.	
8	Weight Bearing capacity	Not Less than 100kg.	
9	Accessories, spares and consumables	Double moulded hand grip with soft Cushion. Tips securely fitted with Heavy Duty Rubber.	
10	Operating Environment	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.	
11	Standards and Safety Requirements	Manufacture company must submit ISO 9001 or ISO 13485:2003/AC:2007 AND CE or USFDA approved product certificate.	
12	Size	Small, Medium, Large	dansta da
13	Warranty	Comprehensive warranty for 1 year after acceptance	
14	Maintenance Service During Warranty Period	Standard warranty conditions are applicable.	
15	Installation and Commissioning	Must supply preassembled unit, ready to use.	
16	Documentation	User's manual shall be supplied in English.	
17	Delivery	Gauradaha municipality office,Jhapa	

#### **Technical Specification**

Project: CP Chair

Location: Gauradaha, Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance sheet
1	Manufacturer		
2	Brand		
3	Type / Model		
4	Country of Origin		
5	System Configuration	Detachable CP Chair	
6	Materials	Must be made of the highest quality materials such as Chrome polished finish or stainless steel or equivalent. High resistance to corrosion	
7	Tyre	Solid PU Tyre/pneumatic tyre fitted with self- propelling hoops and brake arrangements. Wheels to have braking/locking mechanism and self- propelling SS hoops; two swivel castors in front.	
8	Weight Bearing capacity	Not less than 110kg.	
9	Accessories, spares and consumables	All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer.	
10	Operating Environment	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.	
11	Standards and Safety Requirements	Manufacture company must submit ISO 9001 or ISO 13485:2003/AC:2007 AND CE or USFDA approved product certificate.	
12	Size	(12/13/14/15/16/17/18) Inches	
13	Warranty	Comprehensive warranty for 1 year after acceptance	
14	Maintenance Service During Warranty Period	Standard warranty conditions are applicable.	
15	Installation and Commissioning	Must supply preassembled unit, ready to use.	
16	Documentation	User's manual shall be supplied in English.	
17	Delivery	Gauradaha municipality office,Jhapa	

#### **Technical Specification**

Project: Tri-Cycle

Location: Gauradaha, Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance sheet
1	Manufacturer	THE RESIDENCE OF THE PARTY OF T	
2	Brand		Real Property Control
3	Type / Model		
4	Country of Origin		
5	System Configuration	Handed Operated Tri-Cycle	Harry Brokerson
6	Materials	Must be made of the highest quality materials such as Chrome polished finish or stainless steel or equivalent. High resistance to corrosion	
7	Tyre	Pneumatic Tyre/solid tyre with steel rim Front Wheel Size (20" * 1.75" or equivalent) Back Wheel Size (28" * 1.5" or equivalent) Wheels to have braking/locking mechanism	
8	Weight Bearing capacity	Not less than 110kg.	74.0
9	Accessories, spares and consumables	All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer. Standard Cushioning with backrest	
10	Operating Environment	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.	
11	Standards and Safety Requirements	Manufacture company must submit ISO 9001 or ISO 13485:2003/AC:2007 AND CE or USFDA approved product certificate.	
12	Size	Free Size	
13	Warranty	Comprehensive warranty for 1 year after acceptance	
14	Maintenance Service During Warranty Period	Standard warranty conditions are applicable.	
15	Installation and Commissioning	Must supply preassembled unit, ready to use.	
16	Documentation	User's manual shall be supplied in English.	
17	Delivery	Gauradaha municipality office, Jhapa	

#### **Technical Specification**

Project: Hearing Aids Location: Gauradaha,Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance sheet
1	Manufacturer		
2	Brand		
3	Type / Model	4	
4	Country of Origin		
5	System Configuration	Amplifier Type	
6	Materials	PVC, Polyethylene or equivalent	
7	Weight	Not more than 10g	
8	Max. Volume	40 dB	
	Max. Audio Output	120 dB	
	Frequency Range	(100-6000) HZ	
9	Essential Accessories	Volume Control not less than 1	
		No/Off	
		Noise Reduction	
	1	Microphone, Headphone	
		Equipped with fast charging cable	
10	Operating Environment	The product offered shall be designed to be stored and	
		to operate normally under the conditions of the	
		purchaser's country. The conditions include Climate,	
		Temperature, Humidity, etc.	
11	Standards and Safety	Manufacture company must submit ISO 9001 or ISO	
	Requirements	13485:2003/AC:2007 AND	
		CE or USFDA approved product certificate.	
12	Size	Free Size	
13	Warranty	Comprehensive warranty for 1 year after acceptance	
14	Maintenance Service	Standard warranty conditions are applicable.	
	During Warranty Period		
15	Installation and	Must supply preassembled unit, ready to use.	
	Commissioning		ļ
16	Documentation	User's manual shall be supplied in English.	
17	Delivery	Gauradaha municipality office, Jhapa	

### **Technical Specification**

Project: Optical Frames Location: Gauradaha, Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance
1	Manufacturer		SHEEL
2	Brand		
3	Type / Model		
4	Country of Origin		
5	System Configuration	Optical Frame	
6	Materials	TR, Polycarbonate, Plastic or equivalent	
7	Weight	Suitable for Baby, Adult, Elderly People	
8	Colour	Standard	
9	Operating Environment	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.	
10	Standards and Safety Requirements	Manufacture company must submit ISO 9001 or ISO 13485:2003/AC:2007 AND CE or USFDA approved product certificate.	
11	Size	Baby, Adult, Elderly People	
12	Warranty	Comprehensive warranty for 1 year after acceptance	
13	Maintenance Service During Warranty Period	Standard warranty conditions are applicable.	
14	Installation and Commissioning	Must supply preassembled unit, ready to use.	
15	Documentation	User's manual shall be supplied in English.	
16	Delivery	Gauradaha municipality office, Jhapa	
17	Delivery	Gauradaha municipality office, Jhapa	

#### **Technical Specification**

Project: Arm Crutch

Location: Gauradaha, Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance sheet
1	Manufacturer		
2	Brand		
3	Type / Model		
4	Country of Origin		
5	System Configuration	Available	
6	Materials	Must be made of the highest quality materials such as Aluminium alloy tubes or equivalent. High resistance to corrosion.	
7	Height	Adjustable, Telescopic, Quick release	
8	Weight Bearing capacity	Not Less than 150kg.	
9	Accessories, spares and consumables	ABS handle with comfortable grip. Tips securely fitted with Heavy Duty Rubber. Rotating &. detachable arm cuff Height adjustable elbow rest.	
10	Operating Environment	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.	
11	Standards and Safety Requirements	Manufacture company must submit ISO 9001 or ISO 13485:2003/AC:2007 AND CE or USFDA approved product certificate.	
12	Size	Small, Medium, Large	
13	Warranty	Comprehensive warranty for 1 year after acceptance	
14	Maintenance Service During Warranty Period	Standard warranty conditions are applicable.	
15	Installation and Commissioning	Must supply preassembled unit, ready to use.	
16	Documentation	User's manual shall be supplied in English.	
17	Delivery	Gauradaha municipality office,Jhapa	

#### **Technical Specification**

Project: Wheelchair (Semi Active/Foldable Type)

Location: Gauradaha, Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance sheet
1	Manufacturer		
2	Brand		
3	Type / Model		
4	Country of Origin		
5	System Configuration	Semi Active Wheelchair	
6	Materials	Must be made of the highest quality materials such as titanium polished finish or stainless steel or equivalent.  High resistance to corrosion	
7	Tyre	Solid PU Tyre/pneumatic tyres fitted with self- propelling hoops and brake arrangements, quick release rear wheels. Wheels to have braking/locking mechanism and self- propelling SS hoops; two swivel castors in front.	
8	Weight Bearing capacity	Not less than 110kg.	
9	Accessories, spares and consumables	All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer. Fixed back with air cushioning. Flip up arm rest, swing away & detachable foot rest,	
10	Operating Environment	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.	
11	Standards and Safety Requirements	Manufacture company must submit ISO 9001 or ISO 13485:2003/AC:2007 AND CE or USFDA approved product certificate.	
12	Size	(12/13/14/15/16/17/18/19) Inches	
13	Warranty	Comprehensive warranty for 1 year after acceptance	
14	Maintenance Service During Warranty Period	Standard warranty conditions are applicable.	
15	Installation and Commissioning	Must supply preassembled unit, ready to use.	
16	Documentation	User's manual shall be supplied in English.	
17	Delivery	Gauradaha municipality office, Jhapa  Prepared By:	

Prepared By:

Er. Deependra oli NEC Regd. No. 365 "Biomedical " "A"

#### **Technical Specification**

Project: Wheelchair (Orthopedic/Non-Foldable Fixed Type)

Location: Gauradaha, Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance sheet
ı	Manufacturer	<b>国際企業を基準を基準を表しません。</b>	
2	Brand		
3	Type / Model		
4	Country of Origin		
5	System Configuration	Non foldable, fixed type	
6	Materials	Must be made of the highest quality materials such as titanium polished finish or stainless steel or equivalent.  High resistance to corrosion	
7	Tyre	Solid PU Tyre fitted with self-propelling hoops and brake arrangements.  Wheels to have braking/locking mechanism and self-propelling SS hoops; two swivel castors in front.	
8	Weight Bearing capacity	Not less than 110kg.	
9	Accessories, spares and consumables	All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer. With air Cushioning	
10	Operating Environment	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.	
11	Standards and Safety Requirements	Manufacture company must submit ISO 9001 or ISO 13485:2003/AC:2007 AND CE or USFDA approved product certificate.	
12	Size	(12/13/14/15/16/17/18) Inches	1175
13	Warranty	Comprehensive warranty for 1 year after acceptance	-
14	Maintenance Service During Warranty Period	Standard warranty conditions are applicable.	
15	Installation and Commissioning	Must supply preassembled unit, ready to use.	
16	Documentation	User's manual shall be supplied in English.	
17	Delivery	Gauradaha municipality office,Jhapa	

Prepared By:

Er. Deependra oli NEC Regd. No. 365 "Biomedical" "A"

### **Technical Specification**

Project: Wheelchair (Orthopedic/Foldable Orthopaedic Type)

Location: Gauradaha, Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance
l	Manufacturer		sheet
2	Brand		
3	Type / Model		
4	Country of Origin		
5	System Configuration	The state of the s	
6	Materials	Foldable, fixed type	
	Materials	Must be made of the highest quality materials such as titanium polished finish or stainless steel or equivalent.  High resistance to corrosion	
7	Tyre	Pneumatic Tyre/solid tyres fitted with self-propelling hoops and brake arrangements.  Wheels to have braking/locking mechanism and self-propelling SS hoops; two swivel castors in front.	
8	Weight Bearing capacity	Not less than 110kg.	
9	Accessories, spares and consumables	All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer. With air Cushion.	
10	Operating Environment	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.	
11	Standards and Safety Requirements	Manufacture company must submit ISO 9001 or ISO 13485:2003/AC:2007 AND CE or USFDA approved product certificate.	W
12	Size	(12/13/14/15/16/17/18) Inches	
13	Warranty	Comprehensive warranty for I year after acceptance	
14	Maintenance Service During Warranty Period	Standard warranty conditions are applicable.	
15	Installation and Commissioning	Must supply preassembled unit, ready to use.	
16	Documentation	User's manual shall be supplied in English.	
17	Delivery	Gauradaha municipality office, Jhapa	

### **Technical Specification**

Project: Rough Rider Wheelchair (Foldable Type)

Location: Gauradaha, Jhapa

S.N.	CRITERIA	REQUIREMENT	Bidder,s Compliance sheet
1	Manufacturer		
2	Brand		
3	Type / Model		
4	Country of Origin		
5	System Configuration	Foldable Type	
6	Materials	Must be made of the highest quality materials such as titanium polished finish or stainless steel or equivalent.  High resistance to corrosion	
7	Tyre	Pneumatic Tyre/solid tyre fitted with self-propelling hoops and brake arrangements.  Wheels to have braking/locking mechanism and self-propelling SS hoops; two swivel castors in front.	
8	Weight Bearing capacity	Not less than 110kg.	
9	Accessories, spares and consumables	All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer.	
10	Operating Environment	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate,	
11	Standards and Safety Requirements	Manufacture company must submit ISO 9001 or ISO 13485:2003/AC:2007 AND CE or USFDA approved product certificate.	
12	Size	(12,13,14,15,16,17,18) Inches	
13	Warranty	Comprehensive warranty for 1 year after acceptance	
14	Maintenance Service During Warranty Period	Standard warranty conditions are applicable.	
15	Installation and Commissioning	Must supply preassembled unit, ready to use.	
16	Documentation	User's manual shall be supplied in English.	
17	Delivery	Gauradaha municipality office,Jhapa	