



नेपाल सरकार  
गौरादह नगरपालिका  
नगर कार्यपालिकाको कार्यालय  
गौरादह, भोजपा ।

सूचना प्रकाशित मिति: २०८२/०१/३१ गते ।

## सेनिटरी प्याड खरिद सम्बन्धी शिलबन्दी दरभाउपत्र आह्वानको सूचना


यस नगरपालिकाको लागि चालु आ.ब. २०८१/०८२ का लागि आवश्यक पर्ने सेनिटरी प्याड शिलबन्दी दरभाउपत्रको माध्यमबाट खरिद गर्नुपर्ने भएकोले सम्बन्धित इच्छुक फर्म/कम्पनी वा सप्लायर्सहरु बाट निम्न शर्तहरुको अधिनमा रही दरभाउपत्र पेश गर्न आह्वान गरिन्छ ।

- ❖ दरभाउपत्र फारम खरिद गर्न नविकरण गरिएको फर्म तथा कम्पनी दर्ता प्रमाण पत्र, सामान बिक्री गर्ने इजाजतपत्र, आयकर दर्ता प्रमाण पत्र र मुल्यअभिवृद्धि कर दर्ता प्रमाण, नागरिकताको प्रमाण पत्र, आ.ब. २०८१/८२ को कर चुत्ता प्रमाण पत्रको प्रमाणित प्रतिलिपिहरु प्रथम पटक सूचना प्रकाशित भएको मितिले १५ औं दिन सम्म कार्यालय समय भित्र रु १०००/-अक्षरेपि रु.एक हजार मात्र (फिर्ता नहुने गरी) जम्मा गरेको सक्कलै रसिद निवेदनसाथ रु १०/- को हुलाक टिकट टाँसि संस्थाको प्रोपाईटर वा निजको अधिकृत प्रतिनिधिले दरभाउपत्र फारम खरिद गर्न सक्नेछ । दरभाउपत्र यस कार्यालयबाट कार्यालय समयमा सम्पर्क गरी खरिद गर्न सकिने छ ।
- ❖ खरिद गरेको दरभाउपत्र रितपूर्वक भरी शिलबन्दी गरी सूचना प्रकाशित भएको मितिले १६ औं दिन दिनको १२.०० बजे भित्र यस कार्यालयमा दर्ता गरी सक्नु पर्नेछ र दर्ता हुन आएका दरभाउपत्र फारम सरकारी प्रतिनिधिहरु र दरभाउपत्रदाता वा निजको प्रतिनिधिहरुको रोहवरमा यो सूचना प्रकाशन भएको मितिले १६औं दिन दिनको २.०० बजे यस कार्यालयमा खोलिएछ । शिलबन्दी दरभाउपत्र दाता वा निजको प्रतिनिधि उपस्थित नभएमा पनि दरभाउपत्र खोल्न बाधा पर्ने छैन ।
- ❖ शिलबन्दी दरभाउपत्रमा जमानत वापत इस्टिमेट अंकको ३ प्रतिशत (तीन प्रतिशत) ले हुन आउने रकम मान्यता प्राप्त 'क' वर्गको बाणिज्य बैंकको जमानतपत्र वा यस कार्यालयको एन आइ सि एसिया बैंक गौरादह शाखाको धरौटी खाता नं. GA3 87CA750361152401 मा नगद जम्मा गरेको सक्कलै बैंक भौचर दरभाउ पत्र साथ पेश गर्नु पर्ने छ । वा कम्तिमा ७५ दिन म्याद भएको यस कार्यालयको नाममा जारी मान्यता प्राप्त बैंकको जमानत पत्रको सक्कल प्रति पेश गर्नुपर्नेछ ।
- ❖ दरभाउपत्र खरिद गर्ने, दर्ता गर्ने, खोल्ने दिन सार्वजनिक विदा परेको खण्डमा सोको भोलीपल्ट कार्यालय समय भित्र हुनेछ ।
- ❖ दरभाउपत्र स्वीकृत भएपछि सम्झौता गर्न आउँदा कबोल अंकको ५ प्रतिशतले हुन आउने रकम माथि उल्लेखित धरौटी खातामा जम्मा गरेको सक्कल भौचर वा मान्यता प्राप्त बाणिज्य बैंकबाट यस कार्यालयको नाममा माग गरे अनुसार म्याद भएको जमानत पत्र सक्कलै पेश गर्नुपर्नेछ ।
- ❖ शिलबन्दी दरभाउपत्र दाताले कबोल गरेको दररेट अंक र अक्षरमा केरमेट नगरी स्पष्ट रुपमा उल्लेख गर्नुपर्नेछ । अंक र अक्षरमा फरक परेमा अक्षरमा लेखेको दरलाई मान्यता दिईनेछ । केरमेट वा थपघट गर्नु

कृष्ण प्रसाद सुवेदी  
प्रमुख प्रशासकीय अधिकृत



- पर्ने भएमा बुझिने गरि सो काटिएको वा थपिएको स्थानमा दायाँ, बायाँ आधिकारिक व्यक्तिको हस्ताक्षर र संस्थाको छाप हुनुपर्नेछ ।
- ❖ आ.ब. ०८१/०८२ का लागि सेनिटरी प्याड खरिदमा कार्यालयको मागको आधारमा रकम थप घट हुन सक्ने छ । अन्य थप रकमको व्यवस्था भई आएमा यसै दररेट अनुसार खरिद हुनेछ । दरभाउपत्रमा पेश गरेको मूल्य यस आ.ब.का लागि भएकाले आगामी असार मसान्त सम्म कुनै प्रकारको मूल्यबृद्धिलाई स्वीकार गरिनेछैन ।
  - ❖ कार्यालयबाट सिलबन्दी दरभाउपत्र खरिद गर्दा यस कार्यालयको अधिकार प्राप्त अधिकारीको दस्तखत र कार्यालयको छाप लागेको दरभाउपत्र फारम खरिद गर्नुपर्नेछ । आधिकारिक दस्तखत र कार्यालयको छाप नलागेको वा फोटोकपी दरभाउपत्र फारम मान्य हुनेछैन ।
  - ❖ रित नपुगेको, म्याद नाघि आएको वा कुनै किसिमको शर्त राखि प्राप्त हुन आएको सिलबन्दी दरभाउपत्र माथि कुनै कारवाही गरिने छैन ।
  - ❖ पेश हुन आएका दरभाउपत्रहरु पूर्ण वा आंशिक रुपमा स्विकृत गर्ने वा नगर्ने सम्पूर्ण अधिकार यस कार्यालयमा निहित रहनेछ । साथै दरभाउपत्रमा उल्लेखित सामानको परिमाणमा थप/घट हुन सक्नेछ ।
  - ❖ यस कार्यालयमा सामान आपूर्ति गर्दा लाग्ने ढुवानी, प्याकिङ तथा अन्य खर्चहरु दरभाउपत्रदाता स्वयम्ले व्यहोर्नु पर्नेछ ।
  - ❖ सेनिटरी प्याड यसै सूचनामा संलग्न प्राविधिक स्पेशिफिकेशन बमोजिम पेश गर्नुपर्नेछ ।
  - ❖ प्राविधिक स्पेशिफिकेशन गौरादह नगरपालिकाको वेबसाइट <https://gauradahamun.gov.np> बाट प्राप्त गर्न सकिनेछ ।
  - ❖ यस सूचनामा उल्लेख हुन छुट भएका कुराहरु सार्वजनिक खरिद ऐन, २०६३, सार्वजनिक खरिद नियमावली, २०६४ तथा प्रचलित नेपाल कानून अनुसार हुनेछ ।
  - ❖ शिलबन्दी दरभाउपत्र सम्बन्धी अन्य कुरा बुझ्नु परेमा यस कार्यालयमा कार्यालय समय भित्र सम्पर्क राखी बुझ्न सकिनेछ ।

  
कृष्ण प्रसाद सुवेदी  
प्रमुख प्रशासकीय अधिकृत



सेनिटरी प्याडको प्राविधिक स्पेसिफिकेशन ( Technical Specification of sanitary Pad )आपूर्ति गर्ने सेनिटरी प्याडहरुको गुणस्तर सेनिटरी प्याड ( वितरण तथा व्यवस्थापन) कार्यविधि, २०७६ को अनुसूचि १ अनुसार देहाय बमोजिम हुनु पर्नेछ ।

क्र.सं.	विवरण
1	<b>Type and physical finishing:</b> Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.
2	<b>Raw Material permitted:</b> <ol style="list-style-type: none"> <li>Absorbent filter: plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign maternal.</li> <li>Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.</li> </ol>
3	<b>Size:</b> size including minimum 290±20 mm length and 60 to 75 mm width, thickness 15mm ±2 mm
4	<b>Absorbency:</b> the sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.
5	<b>Disposability:</b> disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.
6	<b>Color:</b> The product shall be white in color and shall be almost ne odourless.
7	<b>PH value:</b> free from acid and alkali, pH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1390)
8	<b>Hygiene testing requirement:</b> Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887 (Part 2).
9	<b>The manufacturer</b> shall declare that all ingredients used in the product are safe for human based on its known toxicological characteristics at intended use.
10	<b>Packing type:</b> at least 90% Compostable Pack, Protecting Package to product.
11	<b>Packaging size:</b> Minimum 8 pads per pack.
12	<b>Biodegradability or Composability requirements:</b> At least 90% degrade within 6 month (testing is performed and conformed from recognized and approved laboratory.
13	<b>Adhesive:</b> To secure the pad to underwear, ensuring proper fit and preventing movement.
14	<b>Leak-proof Layer:</b> A barrier to prevent leakage, often a non-woven fabric.
15	<b>Shelf Life:</b> A minimum shelf life is specified, with a percentage of the shelf life remaining on delivery.

गौरादह नगरपालिका  
कार्यपालिकाको कार्यालय  
गौरादह, झापा २०७३  
कोशी प्रदेश, नेपाल



अनुसूची-१

(दफा ३ को उपदफा (४) सँग सम्बन्धित)

स्यानीटरी प्याडको न्यूनतम मापदण्ड

1.	<b>Type and physical finishing:</b> Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter.
2.	<b>Raw Material permitted:</b> a. Absorbent filter: plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material. b. Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements.
3	<b>Size:</b> size including minimum (240±20 mm length and 60 to 75 mm width, thickness 15mm ±2 mm).
4.	<b>Absorbency:</b> the sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin.
5.	<b>Disposability:</b> disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred. The pad shall disintegrate in the water in not more than 5 minutes.
6.	<b>Colour:</b> The product shall be white in colour and shall be almost odourless.
7.	<b>PH value:</b> free from acid and alkali, pH of absorbent material shall be 6-8.5 (tested as per the method given in Indian Standard 1390)
8.	<b>Hygiene testing requirement:</b> Total viable count (total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887



*Handwritten signature*

	(Part 2).
9.	The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use.
10	<b>Packaging type:</b> at least 90% Compostable pack, protecting package to product
11	<b>Packaging size:</b> minimum 8 pads per pack
12	<b>Biodegradability or Composability requirements:</b> At least 90% degrade within 6 months (testing is performed and conformed from recognized and approved laboratory)



